

Документ подписан простой электронной подписью
 Информация о владельце:
 ФИО: Косенок Сергей Михайлович
 Должность: ректор
 Дата подписания: 10.06.2024 08:16:26
 Уникальный программный ключ:
 e3a68f3eaa1e62674b54f4998099d3d6bfdcf836

Test task for diagnostic testing in the discipline:

Dermatovenereology, 9th semester

Code, direction of training	31.05.01 General Medicine
Orientation (profile)	General Medicine
Form of study	Full-time
Department-developer	Multidisciplinary Clinical Training
Graduating Department	Hospital Therapy

Competency to be tested	Task	Answer options	Question difficulty type
ОК-1 ОПК-9 ПК-5 ПК-6	Provide one correct answer 1. What are the primary elements observed in psoriasis?	a) nodule b) blister c) bubble d) tubercle	low
ОК-1 ОПК-9 ПК-5 ПК-6 ПК-8	Provide one correct answer 2. The following laboratory tests are used to confirm the diagnosis of scabies:	a) detection of the causative agent by microscopy b) detection of antibodies in blood serum c) intradermal test with allergen d) isolation of culture on a nutrient medium e) biochemical blood test	low
ОК-1 ОПК-9 ПК-5	Provide one correct answer 3. Pityriasis versicolor is caused by:	a) Malassezia spp. b) Pityrosporum orbiculare c) Microsporum ferrugineum d) Trichophyton rubrum e) Trichophyton tonsurans	low
ОК-1 ОПК-9 ПК-5 ПК-6 ОК-1 ОПК-9 ПК-8	Provide one correct answer 4. Fluorescent glow during examination with a Wood's lamp is found in patients with:	a) microsporia b) superficial trichophytosis c) Favus d) infiltrative-suppurative trichophytosis	low
ОК-1 ОПК-9 ПК-5	Provide one correct answer 5. What rashes are manifested by urticaria:	a) papules b) blisters c) vesicle	low

ПК-6		d) bubbles	
OK-1 ОПК-9 ПК-5	Include all correct answers 6. List the layers of the epidermis:	a) stratum corneum b) granular c) spiked d) basal e) stratum lucidum f) Malpighiev	medium
OK-1 ОПК-9 ПК-5 ПК-6 ПК-8	Include all correct answers 7. Shingles is characterized by the following signs:	a) sharp soreness b) disorders of the general condition c) dissemination of the rash throughout the body d) asymmetry and grouping of rashes	medium
OK-1 ОПК-9 ПК-8	Include all correct answers 8. What methods are used to remove viral warts:	a) electrocoagulation b) cryodestruction c) chemical substances d) phonophoresis e) laser destruction	medium
OK-1 ОПК-9 ПК-5	Include all correct answers 9. Characteristics of <i>Treponema pallidum</i> :	a) has a spiral shape b) is diplococcus c) a unicellular pear-shaped organism d) streptobacillus e) it is poorly stained with aniline dyes	medium
OK-1 ОПК-9 ПК-5 ПК-8	Include all correct answers 10. Syphilis transmission routes:	a) household b) sexual c) congenital d) blood transfusion e) alimentary f) professional (medical workers)	medium
OK-1 ОПК-9 ПК-5 ПК-8	Include all correct answers 11. What periods are characteristic of the general course of syphilis:	a) secondary b) tertiary c) incubation d) prodromal e) primary	medium
OK-1 ОПК-9 ПК-5 ПК-6	Include all correct answers 12. A typical chancre is characterized by the following signs:	a) meat-red color b) dense base c) purulent discharge d) smooth even erosion e) soreness	medium
OK-1 ОПК-9 ПК-5 ПК-6	Finish the sentence: 13. Manifestations of late congenital syphilis occur at the age of over ___ years (specify with a number).		medium
OK-1 ОПК-9 ПК-5 ПК-6	Include all correct answers 14. Elements found in the tertiary period of syphilis:	a) roseola b) blister c) tubercle d) vesicle e) node	medium
OK-1	Include all correct answers	a) lichenification	medium

ОПК-9 ПК-5 ПК-6	15. What secondary morphological elements heal with the formation of a scar?	b) ulcer c) erosion d) crack e) excoriation	
ОК-1 ОПК-9 ПК-5 ПК-6 ПК-8	Arrange the shuffled elements in the correct order: 16. Establish the order of syphilis periods:	a) incubation b) primary c) secondary d) tertiary	high
ОК-1 ОПК-9 ПК-5 ПК-6 ПК-8	Arrange the shuffled elements in the correct order: 17. Establish the order of the stages of the course of focal scleroderma	a) edema b) sealing c) atrophy	high
ОК-1 ОПК-9 ПК-5 ПК-6 ПК-8	Include all correct answers 18. The secondary period of syphilis is characterized by rashes:	a) papules b) roseola c) pustules d) alopecia e) knots e) Leukoderma	high
ОК-1 ОПК-9 ПК-5 ПК-6 ПК-8	Finish the sentence: 19. The appearance of fresh rashes at the site of irritation or traumatization of the skin is called the phenomenon of _____		high
ОК-1 ОПК-9 ПК-5 ПК-6 ПК-8	Finish the sentence: 20. The main laboratory method for diagnosing chlamydia is		high