Документ подписан простой электронной подписью

Информация о владельце:

ФИО: Косенок Сергей Михоночные материалы для промежуточной аттестации по дисциплине

Должность: ректор

Дата подписания: 19.06.2024 15:04:33

Уникальный программный ключ: e3a68f3eaa1<u>e62674b54f4998099d3d6bfdcf836</u>

Иностранный язык в профессиональной сфере

a1,	e626/4b54f4998099d3d6bfdcf836	
	Код, направление	20.03.01 Техносферная безопасность
	подготовки	
	Направленность	Охрана труда и промышленная безопасность
	(профиль)	
	Форма обучения	Очная
	Кафедра-	Кафедра лингвистики и переводоведения
	разработчик	
	Выпускающая	Кафедра безопасности жизнедеятельности
	кафедра	

# Типовые задания для контрольной работы

# Типовые задания для контрольной работы

### **5 CEMECTP**

# 1. Choose the correct name of knowledge, skill or ability.

<ol> <li>Design techniques, tools, and principlesDesign</li> <li>Apply principles, techniques, procedures, and equipment to the design and production of various goods and services</li> </ol>					
3. Prediction of physical principles, laws, their					
interrelationships					
4. Using logic and reasoning to identify the strengths and weaknesses of					
alternative solutions, conclusions or approaches to					
problems					
5. Uses of chemicals and their interactions.					
6. Considering the relative costs and benefits of potential actions to choose the					
most appropriate one					
7. Understanding written sentences and paragraphs in work related					
documents					
8. Identifying complex problems and reviewing related information to develop					
and evaluate options and implement					
solutions					
9. Communicating effectively in writing as appropriate for the needs of the audience					
10. The ability to apply general rules to specific problems to produce answers					
that make sense.					
11. The ability to tell when something is wrong or is likely to go wrong. It does					
not involve solving the problem, only recognizing there is a					
problem					

12. The ability to combine pieces of information to form general rules or conclusions (includes finding a relationship among seemingly unrelated events)					
2. Transform these sentences into passive or active voice					
<ol> <li>They make Rolls Royce cars in England.</li> <li>Rice is grown in China.</li> <li>The telephone was invented by Bell in 1876.</li> <li>Thieves have stolen 2 pictures from the museum last night.</li> <li>The factory will produce 10,000 cars next year.</li> <li>She was given this watch by her aunt.</li> <li>British policemen don't carry guns.</li> <li>Periodic Table was devised by Mendeleev.</li> <li>They will publish the news tomorrow.</li> <li>They were doing this experiment yesterday at 9am.</li> </ol>					
3. Use the words from the box to complete the text.					
communication plan identify perform knowledge facts education protection					
Scope of a Safety Engineer  The scope of a safety engineer is to (1) their professional functions. Safety engineering professionals must have (2), training and experience in a common body of knowledge. They need to have a fundamental (3) of physics, chemistry, biology, physiology, statistics, mathematics, computer science, engineering mechanics, industrial processes, business, (4) and psychology.  The major areas relating to the (5) of people and the environment are:  1. Anticipate, (6) and evaluate hazardous conditions and practices. 2. Develop hazard control designs, methods, procedures and programs. 3. Implement, administer and advise others on hazard control programs. 4. Draft a future safety (7) and statement based on real time experiences and (8)					
1. Read the text and then complete it with the words or expressions from the box.					
a) water b) 'bang' c) pollution problems d) skin burns e) miles f) threat					
Fire: This is the most frequent of the hazards however the consequences are generally less. The effect of fire on people usually takes the form of (1) and is usually dependent on the exposure time and the intensity of the heat.					

Explosion: Explosions are usually heard from far away as a (2) This is the result of a shock wave. This overpressure can kill people but usually the indirect effects of collapsing buildings, flying glass and debris causes far more loss of life and severe injuries. There are different types of explosions which include gas explosions and dust explosions.  Toxic/Chemical release: Sudden releases of toxic vapors have the potential to cause death and severe injuries several (3) from the release point. They are carried by (4 and air. Their release into public sewage systems, rivers, canals and other wate courses, either directly or through contaminated water used in fire fighting can result in serious threat to public.  Environmental Damage: As well as having the potential for causing injury, loss of life and damage to property, the hazards of fire, explosion and toxic releases may pose a severe (5 to the environment. Release of other substances, not directly toxic to humans can cause major (6) It is becoming increasingly recognized that damage to natura resources such as plant and animal life can have serious long term consequences.
2. Write these statements in the Past.
<ol> <li>They are to begin this work at once.</li> <li>I am to visit our supervisor.</li> <li>He is to come at 2 o'clock.</li> <li>The letter must be sent at once.</li> </ol>
7 CEMECTP
1. Put the verbs in brackets into the correct form.
Like many substances, water can (exist) in three phases. The phase (depend) on the surrounding temperature and pressure. A phase diagram can (illustrate) such conditions.  The solid form of water (call) ice. Freezing liquid water (form) ice. At sea level, the melting point of ice (be) 0°C. At this temperature, ice (go) through a phase transition and (become) liquid water.
Liquid water can (become) a gas by boiling or evaporation. The boiling point of water (be) 100°C at sea level. However, water (evaporate) into water vapor at lower temperatures. When water vapor (touch) a cool surface, it can (undergo) condensation. This (turn) it back in to a liquid.
Water sometimes (perform) other phase transitions. For instance, ice can (become water vapor directly through sublimation. Similarly, water vapor going through deposition directly into ice (cause) frost. A; 0.01 °C and 611.73Pa, water (achieve) its triple point. At its triple point, water (exist) as a solid, gas, and liquid at once.
2. Complete the sentences. Use superlative or comparative forms of the words in brackets.
1. We stayed at hotel in town. (cheap) 2. Our hotel was than the others in the town. (cheap) 3. The United States is very large but Canada is(large) 4. What's river in the world? (long) 5. He was a little depressed yesterday, but he looks today. (happy)

# 3. Put the parts of the sentences in the right order.

6. What is \_\_\_\_\_\_ sport in your country? (popular)

1. (she won / easily / the game)
4. Read the following article about environmental chemistry and fill the gaps with appropriate forms of the words in brackets. Use prefixes and suffixes.
Environmental chemistry is the(science) study or
the(chemistry) and(biochemistry) phenomena that occur in (nature) places. It can be defined as the study of the sources
reactions, transport, effects, and fates of (chemistry) species in the air, soil
and water environments; and the effect of human activity on these. Environmental chemistry is
an(discipline) science that includes(atmosphere), (aqua) and soil chemistry, as well as
(atmosphere), (aqua) and soft elementy, as well as (heavy) relying on (analysis) chemistry and being
related to(environment) and other areas of science. Environmenta
chemistry involves first(understand) how the uncontaminated environmen
works, which chemicals in what concentrations are present, and with what effects. Without this i
would be(possible) to(accurate) study the effects
humans have on the environment through the release of chemicals.
8 CEMECTP
1. Choose the correct form of the verb, singular or plural.
1. Physics was / were my best subject in school.
2. Can I borrow your scissors? Mine isn't / aren't sharp enough.
3. Do you think the people is / are happy with the government?
4. Gymnastics is / are my favourite sport.
5. The trousers you bought for me doesn't / don't fit me.
2. Underline the correct alternative.
1 She's the girl <i>which/who</i> has seven brothers.
2 They live in a house <i>that/who</i> has seven bedrooms.
3 It's in an area <i>which/where</i> there are lots of large houses.

- 4 She has a tiny room *which/who* is at the top of the house.
- 5 Her parents are the people *which/who* run the local supermarket.
- 6 It's the place which/where my parents like to shop.
- 7 Mum left her credit card there once *which/who* they brought back to our house.
- 8 That's how I met the girl which/who is now my best friend. Her name's Tania.

3 Fill in the gaps with the following words in their appropriate forms. item, glassware, neck, laboratory, approximate, boiling tube, container, mass, weight, experiment, weigh

1. Laboratory	refers to a variety	of equipment, traditionally made of		
glass, used for scientific	and other work	and other work in science, especially in chemistry and		
biology There are	e many different kinds o	of laboratory glassware		
2. A	is essentially a scaled-up test tube, being about 50%			
larger in every aspect.				
3. A bottle is a small	with a	that is narrower than the body		
and a "mouth."				
4. Rounded numbers are or	າly			
		matter is in an object; is a		
measurement of how hard gravity is	s pulling on that object.	Youris the same wherever you		
are - on Earth, on the Moon, floating	g in space. But your	depends on how much gravity		
is acting on you at the moment. You				

Типовые вопросы к зачету

#### **5 CEMECTP**

В соответствии с рабочей программой дисциплины промежуточная аттестация проводится в форме ЗАЧЕТА. Билет состоит из 2 вопросов:

- 1. чтение и перевод текста по специальности
- 2. реферирование научной статьи

# 1. Пример текста для оценки чтения и перевода

#### TECHNOSPHERE SAFETY

Introduction. Any human activity, including labor, contains various potential hazards that are the cause of occupational injuries and occupational diseases. The consequences may be accidents, emergencies, fires, etc.

Practical experience shows that absolutely zero values of risk to human life and health are unattainable in any kind of the activity. However, there are different levels of risk depending on the type of potential hazards. Thus, the main task of occupational injuries prevention is to determine the magnitude of the potential hazard of any type of work activity. We are talking about hazard as a potential threat of negative impact on human life, health and/or the environment. Currently, we distinguish potential (hidden) and real hazards, and certain conditions or reasons are necessary for the implementation of the former into the latter [1].

The number of man-made hazards, as well as the degree of their negative impact in the modern world is constantly growing. The Republic of Kazakhstan is

no exception, where more than 200 people die and more than 2,000 people are injured with various degrees of severity every year as a result of industrial injuries. About 15,000-16,000 emergencies and accidents are registered annually, and the overwhelming number of them (more than 90 %) is man-made accidents. Out of 1.6 million employees of industrial enterprises of the country surveyed in 2019, 370 thousand employees or one in four (22 %) were employed in harmful and hazardous working conditions. One in two (45.9 %) worked in conditions of increased noise and vibration levels, one in three (32.6 %) worked under the influence of increased gas pollution and dustiness of the working area, 94 thousand people (5.6% of the number of employees of the surveyed enterprises) were engaged in physically demanding jobs [2–4].

# 2.Пример текста для реферирования

#### **TECHNOSPHERE SAFETY**

**Introduction**. Any human activity, including labor, contains various potential hazards that are the cause of occupational injuries and occupational diseases. The consequences may be accidents, emergencies, fires, etc.

Practical experience shows that absolutely zero values of risk to human life and health are unattainable in any kind of the activity. However, there are different levels of risk depending on the type of potential hazards. Thus, the main task of occupational injuries prevention is to determine the magnitude of the potential hazard of any type of work activity. We are talking about hazard as a potential threat of negative impact on human life, health and/or the environment. Currently, we distinguish potential (hidden) and real hazards, and certain conditions or reasons are necessary for the implementation of the former into the latter [1].

The number of man-made hazards, as well as the degree of their negative impact in the modern world is constantly growing. The Republic of Kazakhstan is no exception, where more than 200 people die and more than 2,000 people are injured with various degrees of severity every year as a result of industrial injuries. About 15,000- 16,000 emergencies and accidents are registered annually, and the overwhelming number of them (more than 90 %) is man-made accidents. Out of 1.6 million employees of industrial enterprises of the country surveyed in 2019, 370 thousand employees or one in four (22 %) were employed in harmful and hazardous working conditions. One in two (45.9 %) worked in conditions of increased noise and vibration levels, one in three (32.6 %) worked under the influence of increased gas pollution and dustiness of the working area, 94 thousand

people (5.6% of the number of employees of the surveyed enterprises) were engaged in physically demanding jobs [2–4].

**Problem Statement.** One of the problems in the field of injuries, accidents and emergencies prevention is a timely, objective and complete assessment of the existing or emerging potential hazards. At the moment, there are a large number of methods of such assessment (numerical, point, etc.). The most common assessment of hazards is risk, i.e. the probability of an undesirable event occurring in the system, which can be identified with a certain and sufficient degree of accuracy from statistical data [5]. According to another definition, risk is an objective or subjective measurement of the probability and possibility of consequences of a dangerous event concerning human or the environment well-being [6]. Most scientists and researchers in the field of life safety use the following general definition: risk is a quantitative assessment of hazards [7, 8]. English scientist V. Marshall in his book "The main dangers of chemical production" gave the following definition to this concept: risk is the frequency of the implementation of hazards, in other words, risk in numerical terms is the ratio of any number of negative situations (n) to their possible number (N) for a certain period of time [8].

For the first time, the concept of "risk" became widely used after the First World Congress on Life Safety, held in September 1990 in Cologne under the motto "Life in Safety".

In the world practice, the maximum permissible (acceptable) level of individual risk of death of an employee at work is considered to be a level equal to 10-6 per year, i.e. if 1 person per 1 million dies, and negligibly small — 10-8 per year [5]. From these positions, for a comparative analysis, we will determine the risk of death or injury of workers in the conditions of the economy of the Republic of Kazakhstan. Table 1 presents statistical data on occupational injuries for the period from 2018 to 2020 in the whole country [2]. The number of victims of industrial accidents in 2020, in comparison with 2018, did not change significantly and amounted to 2,033 people (in 2018, the number of victims was 2,160 people). However, in 2020, most enterprises of the republic did not work most of the time due to quarantine measures caused by the COVID-19 pandemic. In 2020, 203 people died as a result of industrial accidents, in 2018 — 215 people. The mortality rate decreased by 5.6%. This is explained not by an increase in the level of safety and labor protection of workers, but by the downtime of enterprises due to the quarantine.

The data presented in Table 1 indicate that the risk of death of workers at work in the republic as a whole is more than 2 times higher than the generally

accepted world level of acceptable risk. Moreover, the calculation was carried out for the economy as a whole, both in more and less traumatic industries. If such a calculation is made for the most traumatic industries of the country, it will be: for the construction industry —  $9.43 \times 10-5$ , for the mining industry —  $11.1 \times 10-5$ , for the engineering industry —  $5.48\times 10-5$ . All this indicates an unacceptably low level of occupational safety and health (hereinafter referred to as OSH) of industrial enterprises workers of the Republic of Kazakhstan.

Although the above risk assessment according to the method of V. Marshall is elementary and simplified, it is quite effective and widely used.

The objective of the conducted research was a critical analysis of the existing state regulatory documents in the Republic of Kazakhstan, methods or approaches proposed by various authors to assess occupational risks, as well as the development of priority areas for their improvement.

Theoretical Part. Paragraph 2 of Article 182 of the Labor Code of the Republic of Kazakhstan obliges the employer to constantly monitor the level of occupational risks in order to prevent it, as well as to replace the used hazardous technologies and production equipment with safer ones [9]. In this regard, the relevant OSH services of enterprises should have fairly simple and effective methods for assessing the occupational risks of employees. The review of regulatory documents and scientific literature on the subject of the study allowed us to identify the main approaches and methods of assessing hazards and risks in the field of industrial safety (hereinafter referred to as IS) used in the republic

### **6 CEMECTP**

В соответствии с рабочей программой дисциплины промежуточная аттестация проводится в форме ЗАЧЕТА. Билет состоит из 2 вопросов:

- 1. чтение и перевод текста по специальности
- 2. реферирование научной статьи

# 1. Пример текста для оценки чтения и перевода

#### TECHNOSPHERE SAFETY

Introduction. Any human activity, including labor, contains various potential hazards that are the cause of occupational injuries and occupational diseases. The consequences may be accidents, emergencies, fires, etc.

Practical experience shows that absolutely zero values of risk to human life and health are unattainable in any kind of the activity. However, there are different levels of risk depending on the type of potential hazards. Thus, the main task of occupational injuries prevention is to determine the magnitude of the potential hazard of any type of work activity. We are talking about hazard as a potential threat of negative impact on human life, health and/or the environment. Currently, we distinguish potential (hidden) and real hazards, and certain conditions or reasons are necessary for the implementation of the former into the latter [1].

The number of man-made hazards, as well as the degree of their negative impact in the modern world is constantly growing. The Republic of Kazakhstan is no exception, where more than 200 people die and more than 2,000 people are injured with various degrees of severity every year as a result of industrial injuries. About 15,000- 16,000 emergencies and accidents are registered annually, and the overwhelming number of them (more than 90 %) is man-made accidents. Out of 1.6 million employees of industrial enterprises of the country surveyed in 2019, 370 thousand employees or one in four (22 %) were employed in harmful and hazardous working conditions. One in two (45.9 %) worked in conditions of increased noise and vibration levels, one in three (32.6 %) worked under the influence of increased gas pollution and dustiness of the working area, 94 thousand people (5.6% of the number of employees of the surveyed enterprises) were engaged in physically demanding jobs [2–4].

# 2.Пример текста для реферирования

#### TECHNOSPHERE SAFETY

**Introduction**. Any human activity, including labor, contains various potential hazards that are the cause of occupational injuries and occupational diseases. The consequences may be accidents, emergencies, fires, etc.

Practical experience shows that absolutely zero values of risk to human life and health are unattainable in any kind of the activity. However, there are different levels of risk depending on the type of potential hazards. Thus, the main task of occupational injuries prevention is to determine the magnitude of the potential hazard of any type of work activity. We are talking about hazard as a potential threat of negative impact on human life, health and/or the environment. Currently, we distinguish potential (hidden) and real hazards, and certain conditions or reasons are necessary for the implementation of the former into the latter [1].

The number of man-made hazards, as well as the degree of their negative impact in the modern world is constantly growing. The Republic of Kazakhstan is no exception, where more than 200 people die and more than 2,000 people are injured with various degrees of severity every year as a result of industrial injuries. About 15,000- 16,000 emergencies and accidents are registered annually, and the overwhelming number of them (more than 90 %) is man-made accidents. Out of 1.6 million employees of industrial enterprises of the country surveyed in 2019, 370 thousand employees or one in four (22 %) were employed in harmful and hazardous working conditions. One in two (45.9 %) worked in conditions of increased noise and vibration levels, one in three (32.6 %) worked under the influence of increased gas pollution and dustiness of the working area, 94 thousand people (5.6% of the number of employees of the surveyed enterprises) were engaged in physically demanding jobs [2–4].

**Problem Statement.** One of the problems in the field of injuries, accidents and emergencies prevention is a timely, objective and complete assessment of the existing or emerging potential hazards. At the moment, there are a large number of methods of such assessment (numerical, point, etc.). The most common assessment of hazards is risk, i.e. the probability of an undesirable event occurring in the system, which can be identified with a certain and sufficient degree of accuracy from statistical data [5]. According to another definition, risk is an objective or subjective measurement of the probability and possibility of consequences of a dangerous event concerning human or the environment well-being [6]. Most scientists and researchers in the field of life safety use the following general definition: risk is a quantitative assessment of hazards [7, 8]. English scientist V. Marshall in his book "The main dangers of chemical production" gave the following definition to this concept: risk is the frequency of the implementation of hazards, in other words, risk in numerical terms is the ratio of any number of negative situations (n) to their possible number (N) for a certain period of time [8].

For the first time, the concept of "risk" became widely used after the First World Congress on Life Safety, held in September 1990 in Cologne under the motto "Life in Safety".

In the world practice, the maximum permissible (acceptable) level of individual risk of death of an employee at work is considered to be a level equal to 10-6 per year, i.e. if 1 person per 1 million dies, and negligibly small — 10-8 per year [5]. From these positions, for a comparative analysis, we will determine the risk of death or injury of workers in the conditions of the economy of the Republic of Kazakhstan. Table 1 presents statistical data on occupational injuries for the

period from 2018 to 2020 in the whole country [2]. The number of victims of industrial accidents in 2020, in comparison with 2018, did not change significantly and amounted to 2,033 people (in 2018, the number of victims was 2,160 people). However, in 2020, most enterprises of the republic did not work most of the time due to quarantine measures caused by the COVID-19 pandemic. In 2020, 203 people died as a result of industrial accidents, in 2018 — 215 people. The mortality rate decreased by 5.6%. This is explained not by an increase in the level of safety and labor protection of workers, but by the downtime of enterprises due to the quarantine.

The data presented in Table 1 indicate that the risk of death of workers at work in the republic as a whole is more than 2 times higher than the generally accepted world level of acceptable risk. Moreover, the calculation was carried out for the economy as a whole, both in more and less traumatic industries. If such a calculation is made for the most traumatic industries of the country, it will be: for the construction industry —  $9.43 \times 10-5$ , for the mining industry —  $11.1 \times 10-5$ , for the engineering industry —  $5.48\times 10-5$ . All this indicates an unacceptably low level of occupational safety and health (hereinafter referred to as OSH) of industrial enterprises workers of the Republic of Kazakhstan.

Although the above risk assessment according to the method of V. Marshall is elementary and simplified, it is quite effective and widely used.

The objective of the conducted research was a critical analysis of the existing state regulatory documents in the Republic of Kazakhstan, methods or approaches proposed by various authors to assess occupational risks, as well as the development of priority areas for their improvement.

Theoretical Part. Paragraph 2 of Article 182 of the Labor Code of the Republic of Kazakhstan obliges the employer to constantly monitor the level of occupational risks in order to prevent it, as well as to replace the used hazardous technologies and production equipment with safer ones [9]. In this regard, the relevant OSH services of enterprises should have fairly simple and effective methods for assessing the occupational risks of employees. The review of regulatory documents and scientific literature on the subject of the study allowed us to identify the main approaches and methods of assessing hazards and risks in the field of industrial safety (hereinafter referred to as IS) used in the republic

В соответствии с рабочей программой дисциплины промежуточная аттестация проводится в форме ЗАЧЕТА. Билет состоит из 2 вопросов:

- 1. чтение и перевод текста по специальности
- 2. реферирование научной статьи

## 1. Пример текста для оценки чтения и перевода

#### **TECHNOSPHERE SAFETY**

Introduction. Any human activity, including labor, contains various potential hazards that are the cause of occupational injuries and occupational diseases. The consequences may be accidents, emergencies, fires, etc.

Practical experience shows that absolutely zero values of risk to human life and health are unattainable in any kind of the activity. However, there are different levels of risk depending on the type of potential hazards. Thus, the main task of occupational injuries prevention is to determine the magnitude of the potential hazard of any type of work activity. We are talking about hazard as a potential threat of negative impact on human life, health and/or the environment. Currently, we distinguish potential (hidden) and real hazards, and certain conditions or reasons are necessary for the implementation of the former into the latter [1].

The number of man-made hazards, as well as the degree of their negative impact in the modern world is constantly growing. The Republic of Kazakhstan is no exception, where more than 200 people die and more than 2,000 people are injured with various degrees of severity every year as a result of industrial injuries. About 15,000- 16,000 emergencies and accidents are registered annually, and the overwhelming number of them (more than 90 %) is man-made accidents. Out of 1.6 million employees of industrial enterprises of the country surveyed in 2019, 370 thousand employees or one in four (22 %) were employed in harmful and hazardous working conditions. One in two (45.9 %) worked in conditions of increased noise and vibration levels, one in three (32.6 %) worked under the influence of increased gas pollution and dustiness of the working area, 94 thousand people (5.6% of the number of employees of the surveyed enterprises) were engaged in physically demanding jobs [2–4].

2.Пример текста для реферирования

TECHNOSPHERE SAFETY

**Introduction**. Any human activity, including labor, contains various potential hazards that are the cause of occupational injuries and occupational diseases. The consequences may be accidents, emergencies, fires, etc.

Practical experience shows that absolutely zero values of risk to human life and health are unattainable in any kind of the activity. However, there are different levels of risk depending on the type of potential hazards. Thus, the main task of occupational injuries prevention is to determine the magnitude of the potential hazard of any type of work activity. We are talking about hazard as a potential threat of negative impact on human life, health and/or the environment. Currently, we distinguish potential (hidden) and real hazards, and certain conditions or reasons are necessary for the implementation of the former into the latter [1].

The number of man-made hazards, as well as the degree of their negative impact in the modern world is constantly growing. The Republic of Kazakhstan is no exception, where more than 200 people die and more than 2,000 people are injured with various degrees of severity every year as a result of industrial injuries. About 15,000- 16,000 emergencies and accidents are registered annually, and the overwhelming number of them (more than 90 %) is man-made accidents. Out of 1.6 million employees of industrial enterprises of the country surveyed in 2019, 370 thousand employees or one in four (22 %) were employed in harmful and hazardous working conditions. One in two (45.9 %) worked in conditions of increased noise and vibration levels, one in three (32.6 %) worked under the influence of increased gas pollution and dustiness of the working area, 94 thousand people (5.6% of the number of employees of the surveyed enterprises) were engaged in physically demanding jobs [2–4].

**Problem Statement.** One of the problems in the field of injuries, accidents and emergencies prevention is a timely, objective and complete assessment of the existing or emerging potential hazards. At the moment, there are a large number of methods of such assessment (numerical, point, etc.). The most common assessment of hazards is risk, i.e. the probability of an undesirable event occurring in the system, which can be identified with a certain and sufficient degree of accuracy from statistical data [5]. According to another definition, risk is an objective or subjective measurement of the probability and possibility of consequences of a dangerous event concerning human or the environment well-being [6]. Most scientists and researchers in the field of life safety use the following general definition: risk is a quantitative assessment of hazards [7, 8]. English scientist V. Marshall in his book "The main dangers of chemical production" gave the following definition to this concept: risk is the frequency of the implementation of

hazards, in other words, risk in numerical terms is the ratio of any number of negative situations (n) to their possible number (N) for a certain period of time [8].

For the first time, the concept of "risk" became widely used after the First World Congress on Life Safety, held in September 1990 in Cologne under the motto "Life in Safety".

In the world practice, the maximum permissible (acceptable) level of individual risk of death of an employee at work is considered to be a level equal to 10-6 per year, i.e. if 1 person per 1 million dies, and negligibly small — 10-8 per year [5]. From these positions, for a comparative analysis, we will determine the risk of death or injury of workers in the conditions of the economy of the Republic of Kazakhstan. Table 1 presents statistical data on occupational injuries for the period from 2018 to 2020 in the whole country [2]. The number of victims of industrial accidents in 2020, in comparison with 2018, did not change significantly and amounted to 2,033 people (in 2018, the number of victims was 2,160 people). However, in 2020, most enterprises of the republic did not work most of the time due to quarantine measures caused by the COVID-19 pandemic. In 2020, 203 people died as a result of industrial accidents, in 2018 — 215 people. The mortality rate decreased by 5.6%. This is explained not by an increase in the level of safety and labor protection of workers, but by the downtime of enterprises due to the quarantine.

The data presented in Table 1 indicate that the risk of death of workers at work in the republic as a whole is more than 2 times higher than the generally accepted world level of acceptable risk. Moreover, the calculation was carried out for the economy as a whole, both in more and less traumatic industries. If such a calculation is made for the most traumatic industries of the country, it will be: for the construction industry —  $9.43 \times 10-5$ , for the mining industry —  $11.1 \times 10-5$ , for the engineering industry —  $5.48\times 10-5$ . All this indicates an unacceptably low level of occupational safety and health (hereinafter referred to as OSH) of industrial enterprises workers of the Republic of Kazakhstan.

Although the above risk assessment according to the method of V. Marshall is elementary and simplified, it is quite effective and widely used.

The objective of the conducted research was a critical analysis of the existing state regulatory documents in the Republic of Kazakhstan, methods or approaches proposed by various authors to assess occupational risks, as well as the development of priority areas for their improvement.

Theoretical Part. Paragraph 2 of Article 182 of the Labor Code of the Republic of Kazakhstan obliges the employer to constantly monitor the level of occupational risks in order to prevent it, as well as to replace the used hazardous technologies and production equipment with safer ones [9]. In this regard, the relevant OSH services of enterprises should have fairly simple and effective methods for assessing the occupational risks of employees. The review of regulatory documents and scientific literature on the subject of the study allowed us to identify the main approaches and methods of assessing hazards and risks in the field of industrial safety (hereinafter referred to as IS) used in the republic

### Типовые вопросы к зачету с оценкой

#### **8 CEMECTP**

В соответствии с рабочей программой дисциплины промежуточная аттестация проводится в форме ЗАЧЕТА С ОЦЕНКОЙ. Билет состоит из 2 вопросов:

- 1. чтение и перевод текста по специальности
- 2. реферирование научной статьи

### 1. Пример текста для оценки чтения и перевода

### TECHNOSPHERE SAFETY

Introduction. Any human activity, including labor, contains various potential hazards that are the cause of occupational injuries and occupational diseases. The consequences may be accidents, emergencies, fires, etc.

Practical experience shows that absolutely zero values of risk to human life and health are unattainable in any kind of the activity. However, there are different levels of risk depending on the type of potential hazards. Thus, the main task of occupational injuries prevention is to determine the magnitude of the potential hazard of any type of work activity. We are talking about hazard as a potential threat of negative impact on human life, health and/or the environment. Currently, we distinguish potential (hidden) and real hazards, and certain conditions or reasons are necessary for the implementation of the former into the latter [1].

The number of man-made hazards, as well as the degree of their negative

impact in the modern world is constantly growing. The Republic of Kazakhstan is no exception, where more than 200 people die and more than 2,000 people are injured with various degrees of severity every year as a result of industrial injuries. About 15,000- 16,000 emergencies and accidents are registered annually, and the overwhelming number of them (more than 90 %) is man-made accidents. Out of 1.6 million employees of industrial enterprises of the country surveyed in 2019, 370 thousand employees or one in four (22 %) were employed in harmful and hazardous working conditions. One in two (45.9 %) worked in conditions of increased noise and vibration levels, one in three (32.6 %) worked under the influence of increased gas pollution and dustiness of the working area, 94 thousand people (5.6% of the number of employees of the surveyed enterprises) were engaged in physically demanding jobs [2–4].

## 2.Пример текста для реферирования

### **TECHNOSPHERE SAFETY**

**Introduction**. Any human activity, including labor, contains various potential hazards that are the cause of occupational injuries and occupational diseases. The consequences may be accidents, emergencies, fires, etc.

Practical experience shows that absolutely zero values of risk to human life and health are unattainable in any kind of the activity. However, there are different levels of risk depending on the type of potential hazards. Thus, the main task of occupational injuries prevention is to determine the magnitude of the potential hazard of any type of work activity. We are talking about hazard as a potential threat of negative impact on human life, health and/or the environment. Currently, we distinguish potential (hidden) and real hazards, and certain conditions or reasons are necessary for the implementation of the former into the latter [1].

The number of man-made hazards, as well as the degree of their negative impact in the modern world is constantly growing. The Republic of Kazakhstan is no exception, where more than 200 people die and more than 2,000 people are injured with various degrees of severity every year as a result of industrial injuries. About 15,000- 16,000 emergencies and accidents are registered annually, and the overwhelming number of them (more than 90 %) is man-made accidents. Out of 1.6 million employees of industrial enterprises of the country surveyed in 2019, 370 thousand employees or one in four (22 %) were employed in harmful and hazardous working conditions. One in two (45.9 %) worked in conditions of increased noise and vibration levels, one in three (32.6 %) worked under the influence of increased gas pollution and dustiness of the working area, 94 thousand

people (5.6% of the number of employees of the surveyed enterprises) were engaged in physically demanding jobs [2–4].

**Problem Statement.** One of the problems in the field of injuries, accidents and emergencies prevention is a timely, objective and complete assessment of the existing or emerging potential hazards. At the moment, there are a large number of methods of such assessment (numerical, point, etc.). The most common assessment of hazards is risk, i.e. the probability of an undesirable event occurring in the system, which can be identified with a certain and sufficient degree of accuracy from statistical data [5]. According to another definition, risk is an objective or subjective measurement of the probability and possibility of consequences of a dangerous event concerning human or the environment well-being [6]. Most scientists and researchers in the field of life safety use the following general definition: risk is a quantitative assessment of hazards [7, 8]. English scientist V. Marshall in his book "The main dangers of chemical production" gave the following definition to this concept: risk is the frequency of the implementation of hazards, in other words, risk in numerical terms is the ratio of any number of negative situations (n) to their possible number (N) for a certain period of time [8].

For the first time, the concept of "risk" became widely used after the First World Congress on Life Safety, held in September 1990 in Cologne under the motto "Life in Safety".

In the world practice, the maximum permissible (acceptable) level of individual risk of death of an employee at work is considered to be a level equal to 10-6 per year, i.e. if 1 person per 1 million dies, and negligibly small — 10-8 per year [5]. From these positions, for a comparative analysis, we will determine the risk of death or injury of workers in the conditions of the economy of the Republic of Kazakhstan. Table 1 presents statistical data on occupational injuries for the period from 2018 to 2020 in the whole country [2]. The number of victims of industrial accidents in 2020, in comparison with 2018, did not change significantly and amounted to 2,033 people (in 2018, the number of victims was 2,160 people). However, in 2020, most enterprises of the republic did not work most of the time due to quarantine measures caused by the COVID-19 pandemic. In 2020, 203 people died as a result of industrial accidents, in 2018 — 215 people. The mortality rate decreased by 5.6%. This is explained not by an increase in the level of safety and labor protection of workers, but by the downtime of enterprises due to the quarantine.

The data presented in Table 1 indicate that the risk of death of workers at work in the republic as a whole is more than 2 times higher than the generally

accepted world level of acceptable risk. Moreover, the calculation was carried out for the economy as a whole, both in more and less traumatic industries. If such a calculation is made for the most traumatic industries of the country, it will be: for the construction industry — 9.43  $\times 10$ -5 , for the mining industry — 11.1  $\times 10$ -5 , for the engineering industry — 5.48×10-5 . All this indicates an unacceptably low level of occupational safety and health (hereinafter referred to as OSH) of industrial enterprises workers of the Republic of Kazakhstan.

Although the above risk assessment according to the method of V. Marshall is elementary and simplified, it is quite effective and widely used.

The objective of the conducted research was a critical analysis of the existing state regulatory documents in the Republic of Kazakhstan, methods or approaches proposed by various authors to assess occupational risks, as well as the development of priority areas for their improvement.

Theoretical Part. Paragraph 2 of Article 182 of the Labor Code of the Republic of Kazakhstan obliges the employer to constantly monitor the level of occupational risks in order to prevent it, as well as to replace the used hazardous technologies and production equipment with safer ones [9]. In this regard, the relevant OSH services of enterprises should have fairly simple and effective methods for assessing the occupational risks of employees. The review of regulatory documents and scientific literature on the subject of the study allowed us to identify the main approaches and methods of assessing hazards and risks in the field of industrial safety (hereinafter referred to as IS) used in the republic